


SERIE K890 Planeado y Escuadrado


***PROMOCION PLATO + 10 PLACAS K890 SOKO120808**

XK201 PLACA K890 SOKO120808MER-MM KPM30H



MEDIDAS (mm)				
W	TH	BS	R	AP
12.8	8.76	2.5	0.8	6.5

Plato Planear y Escuadrar




Tipo	Medidas (mm)						*PRECIO PROMOCION
	D	D	L	D1	Z	AP	
XK320 K890-FSO-4050R-22	50	22	40	48	4	6.5	400 €
XK321 K890-FSO-5063R-22	63	22	50	58	5	6.5	446 €
XK322 K890-FSO-6080R-27	80	27	50	63	6	6.5	490 €

Promoción válida hasta 31/12/2025

SERIE K490 Planeado y Escuadrado

***PROMOCION PLATO + 20 PLACAS K490 ANMX 120408**

XK140 PLACA K490 ANMX 120408R-MF KPM915




MEDIDAS (mm)				
L	W	R	B	S
12.2	6.6	0.8	0.95	4.8

Mango cilíndrico




Tipo	Medidas (mm)					*PRECIO PROMOCION
	D1	D	L	L2	Z	
XK237 K490-16-C16-160L-2T-A12	16	16	160	25	2	146 €
XK240 K490-20-C20-160L-3T-A12	20	20	160	32	3	163 €
XK241 K490-25-C25-160L-4T-A12	25	25	160	45	4	175 €

Cabeza Roscada



Tipo	Medidas (mm)					*PRECIO PROMOCION
	D	M	d	L	Z	
XK238 K490-16-M8-2T-A12	16	8	8.5	46	2	205 €
XK239 K490-20-M10-3T-A12	20	10	10.5	49	3	216 €
XK242 K490-25-M12-4T-A12	25	12	12.5	57	4	247 €
XK243 K490-32-M16-5T-A12	32	16	17	63	5	285 €

Plato de Arrastre



Tipo	Medidas (mm)					*PRECIO PROMOCION
	D1	D	d	L	Z	
XK244 K490-40-16-4T-A12	40	37	16	40	4	281 €
XK245 K490-50-22-5T-A12	50	42	22	40	5	249 €
XK246 K490-63-22-6T-A12	63	50	22	40	6	284 €
XK247 K490-80-27-8T-A12	80	60	27	50	8	354 €

Promoción válida hasta 31/12/2025

PLACA K890 SOKO 120808

CONDICIONES DE CORTE

Materiales		HB	Recubrimiento	VC (m/min)	Fz (mm/t)	ap (mm)
P	Aceros	166-285	KIC920 KPM30H	180-350	0.12-0.2	1-6.5
				150-250	0.15-0.2	1-6.5
	Aceros Aleados	228-371	KIC920 KPM30H	150-300	0.1-0.13	1-6.5
				150-200	0.1-0.2	1-6.5
K	Fundición Gris	242	KIC920 KPM30H	130-210	0.1-0.15	1-6.5
				110-180	0.1-0.15	1-6.5
	Fundición Nodular	166	KIC920 KPM30H	190-300	0.15-0.2	1-6.5
				150-200	0.1-0.16	1-6.5
M	Inoxidable	--	KPM30H	120-160	0.1-0.2	1-6.5

PLACA K490 ANMX 120408

CONDICIONES DE CORTE

TIPO DE MATERIAL	Calidades	VC (m/min)	Fz (mm/t)	ap (mm)
Acero al Carbono <HRC30	KPM915	120-270	0.1-0.25	0.2-9
Acero para Herramientas, Endurecido <HRC40	KPM915	100-180	0.1-0.20	0.2-9
Acero Templado <HRC52	KPH910	90-150	0.08-0.12	0.2-9
Inoxidable	KPM915	100-140	0.1-0.18	0.2-9