




# **PROMOCION SOPORTES ANTI VIBRATORIOS 6 A 9 X D**

**CONFIGURE SU SOPORTE EN 2 PASOS**


1

## ELIJA Ø DE SOPORTE Y LONGITUD A MECANIZAR


| REFERENCIA SOPORTE     | Ø SOPORTE | Ø MINIMO MECANIZADO | LONGITUD MAXIMA MECANIZADO |
|------------------------|-----------|---------------------|----------------------------|
| STMD M12-144 SL12 3C   | Ø 12      | Ø 16                | 96mm                       |
| STMD M16-170 SL16 3C   | Ø 16      | Ø 20                | 128mm                      |
| STMD M20-200 SL20 3C   | Ø 20      | Ø 25                | 160mm                      |
| STMD M25-255 SL25 3C   | Ø 25      | Ø 32                | 200mm                      |
| STMD M32-320 SL32 3C   | Ø 32      | Ø 42                | 256mm                      |
| STMD M40-408 SL40 3C   | Ø 40      | Ø 50                | 320mm                      |
| STMD M50-518 SL40 1C   | Ø 50      | Ø 60                | 400mm                      |
| STMD M60-628 SL40 1C   | Ø 60      | Ø 70                | 480mm                      |
| STMD M80-880 SL40 1Ce  | Ø 80      | Ø 90                | 640mm                      |
| STMD M100-1100 SL80 Ce | Ø 100     | Ø 120               | 800mm                      |




## PLACAS POSITIVAS DCMT



## PLACAS POSITIVAS TCM. - TPM.-CCM.



## PLACAS POSITIVAS VCM..



## PLACAS NEGATIVAS DNM. - TNM. - CNM. - WNM



## ROSCADO ISO



## RANURADO



## BRUÑIDO

