


ROLAND TYPE_Milling Bur

- Diamond coating to cut Zirconia

2 ODRB, 3 ODRB Series



ZIRCONIA

DIA

Coating

R

 ± 0.005

R Tolerance

30°

Helix

2

2 Flutes

3

3 Flutes

SPECIFICATIONS


Model. No	Flutes	Radius of Ball Nose	Effective Length	Length of Cut	Shank Diameter	Overall Length
		R	l ₂	l ₁	d	L
20DRB-010-160-348	2F	0.5	16	4	3	48
20DRB-020-200-348		1	20	4.5		
20DRB-025-220-348		1.25	22			
20DRB-030-250-348		1.5	25	6		
20DRB-006-060-450		0.3	6	2	4	50
20DRB-006-082-450			8.2	1.8		
20DRB-006-140-450			14	2		
20DRB-010-120-450		0.5	12	3		
20DRB-010-160-450			16	6		
20DRB-010-200-450			20			
20DRB-020-140-450			14			
20DRB-020-200-450		1	20	8		
20DRB-020-200-450		1		10		
20DRB-030-200-450		1.5				
30DRB-010-160-450		3F	0.5	16		
30DRB-010-200-450	20					
30DRB-020-200-450			1	8		
30DRB-030-200-450			1.5	10		

- Applicable machine : Roland DWX-4/50/51/52

ROLAND TYPE_Milling Bur

- Un-coating for cutting PEEK & PMMA & WAX.

1 ONRB, 2 ONRB Series



**PMMA & PEEK &
WAX**

**NON
COATING**

R
±0.005

30°
Helix

1
1 Flutes

2
2 Flutes

SPECIFICATIONS


Model. No	Flutes	Radius of Ball Nose	Effective Length	Length of Cut	Shank Diameter	Overall Length
		R	l ₂	l ₁	d	L
1ONRB-006-060-450	1F	0.3	6	2	4	50
1ONRB-006-140-450			14			
1ONRB-010-160-450		0.5	16	6		
1ONRB-010-200-450			20			
1ONRB-030-200-450		1.5		10		
1ONRB-020-200-450		1		8		
2ONRB-003-031-450	2F	0.15	3.1	0.9		
2ONRB-006-060-450		0.3	6	2		
2ONRB-008-096-450		0.4	9.6	2.4		
2ONRB-010-120-450		0.5	12	3		
2ONRB-010-180-450			18	4		
2ONRB-020-140-450		1	14	6		
2ONRB-020-200-450			20	5.5		

- Applicable machine : Roland DWX-4/50/51/52

ROLAND TYPE_Milling Bur

- Tyson coating based on TiSin to cut Cobalt Chrom & Titanium.

2 OTRB Series



COBALT CHROME,
TITANIUM

TYSON
Coating

R
±0.005
R Tolerance

30°
Helix

2
2 Flutes

SPECIFICATIONS

Model. No	Flutes	Radius of Ball Nose	Effective Length	Length of Cut	Shank Diameter	Overall Length
		R	l ₂	l ₁	d	L
20TRB-006-060-450	2F	0.3	6	2	4	50
20TRB-010-120-450		0.5	12	3		
20TRB-020-140-450		1	14	6		

• Applicable machine : Roland DWX-4/50/51/52

